Datapolis.com ltd., ul. Wiktorska 63, 02-2587 Warsaw, Poland
tel. (+48) 022 398 37 45; fax. (+48) 022 398 37 93, office@datapolis.com

USER GUIDE

SharePoint Column Protector 2007 v 1.0.5.51

This guide was updated on **14-Dec-10**

SharePoint Column Protector 2007 v 1.0.5.51 1
Thank you for using SharePoint Column Protector 2007! 2
1 Setup 3
1.1 SCP 2007 Installation 3
1.2 Licensing 13
1.3 Feature activation 18
1.4 Repairing/removing SCP 2007 20
2 Configuring 21
2.1 Limitations 22
2.2 Enabling SCP 2007 for Content Type 24
2.3 Saving/Restoring SCP configuration 27
2.4 Configuring permissions for columns 28
2.4.1 Administration page 28
2.4.2 Using administration page 29
2.4.3 List permission inheritance 32
2.5 Best practices 33
3 Troubleshooting 33
4 Try Workbox 34

SharePoint Column Protector was originally a part of a larger solution (Workbox) designed for managing business processes and document flows on SharePoint.

We encourage you to learn more about Workbox.

Product Home Page: Workbox
Interactive tutorial: Tutorial
Free 30 day trial: Download

Thank you for using SharePoint Column Protector 2007!

We hope that you will find our product useful. If you have any comments or questions please contact us by channels mentioned in troubleshooting sections. We will gladly help you with any issues you may encounter.
Please take time to read the following user guide, which will help you to use all features of our product.
This user guide is divided into 3 sections:

- Setup – information how to install SCP 2007, buy license and activate it and activate SCP 2007 feature on the portal farm
- Configuring – describes the concept of SCP 2007 administration pages and explains how to assign permissions to columns. Also contains list of limitations of SCP 2007
- Troubleshooting – information what to do in case something goes wrong.

1 Setup

1.1 *SCP 2007 Installation*

To install SharePoint Column Protector please unzip provided compressed folder (SharePointColumnProtector2007.zip) to a chosen location on any front-end server of the SharePoint farm where you want to deploy SCP 2007.
Setup configures SCP 2007 on all front-end servers in the farm, so there is no need to run the setup on all servers.

Note: You need to have administration rights to the server and the portal to install SCP 2007.

1. Open unzipped folder.
2. Double click “setup.exe” file to start the extractor


C:\Documents and Settings\Administrator\Desktop\SharePointColumnProtector...
File Edit View Favorites Tools Help
Back Search Folders
Address C:\Documents and Settings\Administrator\Desktop\SharePointColumnProtector20
Go
Name Size Type Date Modified Att
setup.exe 2 636 KB Application 2010-12-10 15:20 A
Release Notes.txt 3 KB Text Document 2010-12-10 15:19 A
SCP 2007 - instrukcja użytko... 1 770 KB PDF File 2010-12-10 15:19 A
SCP 2007 - User Guide.pdf 1 674 KB PDF File 2010-12-10 15:19 A
4 objects
5,93 MB
My Computer

3. When extractor is started click “Next”

SCP 2007 setup files extractor
Welcome to the SharePoint Column Protector 2007 setup package extractor
This will extract SCP 2007 1.0.4.50 setup files to your computer.
Click Next to continue, or Cancel to exit extraction.
Next >
Cancel

4. Then select place where SCP 2007 installation files should be extracted to.


SCP 2007 setup files extractor
Select Destination Location
Where should SharePoint Column Protector 2007 installation files be extracted?
Extractor will place SharePoint Column Protector 2007 setup files into the following folder.
To continue, click Next. If you would like to select a different folder, click Browse.
C:\Program Files\Datapolis\SCP 2007 Setup
Browse...
At least 4,9 MB of free disk space is required.
< Back
Next >
Cancel

By default it is "C:\Program Files\Datapolis\SCP 2007 Setup". Click "Next" to confirm selected location and then again "Next" to extract files. When files are extracted following screen appears

5. To start SharePoint Column installer make sure that checkbox "Launch SCP 2007 Installer" is checked and click "Finish" or just click "Finish" to close extractor.


SCP 2007 setup files extractor
Completing the SharePoint Column Protector 2007 setup files extraction
Extractor has finished copying SharePoint Column Protector 2007 setup files to your computer.
Click Finish to exit Extractor.
Launch SCP 2007 Installer
Finish

6. If you want to start SCP 2007 installer manually go to the location where file were extracted to (By default it is “C:\Program Files\Datapolis\SCP 2007 Setup”) and double click “setup.exe” file to start the setup wizard:


C:\Program Files\Datapolis\SCP 2007 Setup
File Edit View Favorites Tools Help
Back Search Folders
Address C:\Program Files\Datapolis\SCP 2007 Setup
Go
Name Size Type Dat
Resources File Folder 201
Datapolis.Utilities.Licensing.ClientLicen... 70 KB Application Extension 201
Release Notes.txt 3 KB Text Document 201
SCP 2007 - instrukcja użytkownika.pdf 1 770 KB PDF File 201
SCP 2007 - User Guide.pdf 1 674 KB PDF File 201
setup.exe 400 KB Application 201
setup.exe.config 3 KB XML Configuration File 201
unins000.dat 56 KB DAT File 201
unins000.exe 784 KB Application 201
9 objects
4,64 MB
My Computer

7. On the *welcome* screen click “Next”


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
datapolis
Welcome
Welcome to the Datapolis SharePoint Column Protector 2007 setup wizard.
This setup wizard will install or remove Datapolis SharePoint Column Protector 2007 to your SharePoint 2007 farm.
Previous
Next
Abort
Datapolis.com, 2008-2010

8. During this step SCP 2007 will diagnose and check all required configurations. Please wait, until all checks are processed – all yellow icons should change to green.


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
System Check
Checking if Datapolis SharePoint Column Protector 2007 can be installed or removed
Windows SharePoint Service 3.0 is installed.
Do you have permission to install/remove SharePoint solutions?
Is the Windows SharePoint Services Administration service started?
Is the Windows SharePoint Services Timer service started?
Does the solution file exist?
Does the License management solution file exist?
Is license management solution installed?
Detecting Datapolis SharePoint Column Protector 2007
Please wait...
Datapolis.com, 2008-2010
Previous
Next
Abort

9. If all requirements are met, click “Next” to proceed.


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
System Check
Checking if Datapolis SharePoint Column Protector 2007 can be installed or removed
Windows SharePoint Service 3.0 is installed.
You have permission to install/remove SharePoint solutions.
The Windows SharePoint Services Administration service is started.
The Windows SharePoint Services Timer service is started.
Solution file found.
License management solution file found.
License management solution is installed.
Datapolis SharePoint Column Protector 2007 is already installed.
All checks succeeded. Please click Next to proceed with the installation.
Datapolis.com, 2008-2010
Previous
Next
Abort

10. If you see any errors, you need to correct them. After correcting errors, please close the wizard and run setup again.


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
datapolis
System Check
Checking if Datapolis SharePoint Column Protector 2007 can be installed or removed
Windows SharePoint Service 3.0 is installed.
You have permission to install/remove SharePoint solutions.
The Windows SharePoint Services Administration service is NOT started!
The Windows SharePoint Services Timer service is started.
Solution file found.
License management solution file found.
License management solution is installed.
Datapolis SharePoint Column Protector 2007 is already installed.
Error! Please correct the above errors before installing Datapolis SharePoint Column Protector 2007.
Previous
Next
Abort
Datapolis.com, 2008-2010

For help with installation errors please refer to **troubleshooting** section of this guide.

11. If SCP 2007 is already installed you will be taken to repair/remove screen. Please see **"Repair/remove"** section of this user guide.

12. You need to accept the End User License Agreement (EULA) to use SCP 2007 and continue the setup. Please read the EULA and if you accept it check the checkbox under agreement text and click “Next”


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
datapolis
End-User License Agreement
Please read the following license agreement carefully
PLEASE READ THIS END-USER LICENSE AGREEMENT ("EULA") CAREFULLY. BY INSTALLING OR USING THE SOFTWARE THAT ACCOMPANIES THIS EULA ("SOFTWARE"), YOU AGREE TO THE TERMS OF THIS EULA. IF YOU DO NOT AGREE, DO NOT USE THE SOFTWARE AND, IF APPLICABLE, RETURN IT TO THE PLACE OF PURCHASE FOR A FULL REFUND.
THIS SOFTWARE DOES NOT TRANSMIT ANY PERSONALLY IDENTIFIABLE INFORMATION FROM YOUR SERVER TO DATAPOLIS.COM SP. Z O. O. WITHOUT YOUR CONSENT.
1. GENERAL
This EULA is a legal agreement between you (either an individual or a single entity) and Datapolis.com sp. z o. o. ("Datapolis"). This EULA governs the Software, which includes computer software (including online and electronic documentation) and any associated media and
I accept the terms in the License Agreement
Previous
Next
Abort
Datapolis.com, 2008-2010

13. Please enter your product verification key and click ‘Next’ button


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
Product verification key
Please provide a product verification key
In order to install SharePoint Column Protector 2007 you need to provide your account name from Datapolis customer site and a product verification key. To get a product verification key please register on Datapolis customer site and go to My Products page.
Go to Datapolis customer site
Account name
my account name
Product verification key
ABCDEF-123456
Previous
Next
Abort
Datapolis.com, 2008-2010

If you don’t have product verification key, please do below steps:

a. Go to the https://partner.datapolis.com and register.
b. After registration is completed please go to **My Products** page.

c. Find “SharePoint Column Protector 2007” *in Products verification keys* section and click in “Get key” link.



d. Copy your account name and product verification key for SCP 2007 in to the setup.

Note: Without valid account name and product verification key installer will not allow you to go to the next step. Data visible on the picture above is a sample data and it will not work. Please you valid data taken from My Products page after you log in to https://partner.datapolis.com.

14. Select web applications to which you want to deploy SCP 2007. You can choose one or more web applications or site collections. To view list of site collections click “Plus” icon next to application name. You need to select at least one to continue with the setup. Click “Next” to continue.


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
Site Collection Deployment Targets
Please select one or more web applications / site collections
Web Applications / Site Collections::
http://jchwb:47161/ (Central Administration) (1 site collection)
http://jchwb/ (SharePoint - 80) (3 site collections)
http://jchwb (Team Site)
http://jchwb/sites/TeamSitePL (Second Team Site)
http://jchwb/sites/w1 (w1)
Please click the Next button to start the installation process.
Previous
Next
Abort
Datapolis.com, 2008-2010

Note: If Datapolis Workox was previously installed on your farm, SCP installer should mark web applications on which product is deployed and some Workbox workflows may running.


Web Applications / Site Collections:
Below are marked the web applications on which Datapolis Workbox is deployed and may be activated on some webs. If you leave them marked, all permission settings will be preserved. Otherwise, field permission settings will be reset and WorkBox can work unstable.
http://workboxdevelope:24943/ (Central Administration) (1 site collection)
http://workboxdevelope/ (SharePoint - 80) (10 site collections)

To preserved all permission settings for Worbox worklows on list items forms (display and edit), please leave those web application marked.

15. Please wait for the setup to deploy the solution. Depending on your farm configuration it can take from 30 seconds up to 15 minutes. Click “Next” to continue.



Note: If during installation any errors occur, please try to run the installer once again. If the next time you get same error, please refer to **troubleshooting** section of this guide.

16. Please check the details to see if solution was properly installed and feature was activated on all selected web applications and site collections. Click "Close" to finish setup.



Note: Please read the installation details page carefully. If you notice, that some errors occurred during installation and the SCP feature was not deployed or not activated on all selected site collections, please refer to **troubleshooting** section of this guide.

17. After the setup was successfully finished you can use SharePoint Column Protector on web application and site collections where SCP 2007 was deployed. Please refer to "Configuring" chapter of this guide for information on how to use SCP 2007.

1.2 *Licensing*

SCP 2007 has a trial period of 30 days. After 30 days from installation, trial will expire and SCP 2007 will stop working. If you want to continue using it, you should buy a license on https://partner.datapolis.com.

Note: You can buy and register SCP 2007 any time – during the trial period or after the trial has expired. We recommend licensing your copy of SCP 2007 before trial expiration to avoid SCP 2007 deactivation.
Note: All SCP 2007 setting are preserved even if trial expires. When you activate SCP 2007 after trial expiration it will start working with the same configuration as on last run in trial period.

To activate SCP 2007 on server farm you need to:

1. Purchase license for SCP 2007 on our website - https://partner.datapolis.com/en/customer/pages/buy.aspx . You can use a link provided on the license management page.
2. Once you have purchased the license and it is available for you on My Products page go to license management page on your server (SharePoint 3.0 Central Administration -> Operations -> License management for Datapolis products)
   Note: SCP 2007 is licensed per server in your SharePoint farm. You cannot transfer your license from one server farm to another once you have generated License Key based on Product Key for given farm.
   a. Go to central administration page of the server farm



b. Go to “Operations” section by clicking on “Operations” tab on top menu



c. On the *Operations* page click “License management for Datapolis products” link under “Datapolis Configuration” header.



3. **If your server (the one with SCP 2007 installed) has internet connectivity you can activate your product automatically. If you don’t have internet connection on the server you have to activate your product manually – go to step 4.**
   a. Click on the link “Activate license automatically”



   b. Enter you credentials for the Datapolis customer site (https://partner.datapolis.com) and click validate.

Central Administration > Operations > License management for Datapolis products > Activate Datapolis Product
Activate Datapolis product
Below you can register or update license for Datapolis product.
Product: SharePoint Column Protector 2007
Please provide below your user name and password for Datapolis customer site (https://partner.datapolis.com)
Login:
my account
Password:
Validate

c. After you credentials are successfully verified you will have to choose license which should be used to activate you copy of SCP 2007. Please choose appropriate license and click activate.


Central Administration > Operations > License management for Datapolis products > Activate Datapolis Product
Activate Datapolis product
Below you can register or update license for Datapolis product.
Product: SharePoint Column Protector
Choose license which you want to activate
Server License (License Id = 256)
Choose name for the license activation (this name will help you find this license later on the list of all your license which is available on Datapolis customer site in My Products section)
SERVER01
Activate

d. After this procedure your copy of SharePoint Column Protector has a valid license.


Central Administration > Operations > License management for Datapolis products > Activate Datapolis Product
Activate Datapolis product
Below you can register or update license for Datapolis product.
Product: SharePoint Column Protector
License was succesfully activated.
Go back to license management.
SharePoint Column Protector 2007
Licensing information
License status
Valid License Key
License Id*
499
License type
License for Web Front End Server

Note: If the automatic license activation was successful you can skip point 4, 5 and 6 of this instruction.

Note: If you have upgraded your license (you have extended your server farm so you have purchased additional server) then you can also use Activate License Automatically to upgrade your license – there will be an upgrade option.

4. Generate Product Key for your installation of SCP 2007 on given farm.
   a. Click on the "Get Product Key" button.



   b. You will receive a file to download. Download it and save on your disk in convenient localization.
   Note: If you do not receive the file, check whether it was not blocked by your browser.

5. Generate license key
   a. Go to https://partner.datapolis.com/en/customer/pages/myproducts.aspx page on a computer with internet access. Expand SharePoint Column Protector 2007 product section and upload your product key in the licenses section.
   Note: When uploading product key please add some meaning full description so you will be able to localize your license later.


SCP 2007
SharePoint column protector 2007 datapolis
SharePoint Column Protector 2007
With SharePoint Column Protector 2007 you can quickly and easily define which list item's fields are displayable or editable for which users. By default, MOSS2007/WSS 3.0 allows you to manage permissions at the level of list element. SharePoint Column Protector 2007 goes deeper than that and allows you to protect your data on per column basis. Permissions for columns are defined for each content type for any SharePoint list or document library. Permissions are effective for item forms and list views, as well as for SharePoint alerts, attachments, Excel- and Access-exported data, and even for SharePoint Web Service! In other words, SharePoint Column Protector 2007 fully secures and gives you a greater degree of control over your list-stored data.
For Microsoft Office SharePoint Server 2007 and WSS 3.0
Licenses
Server license
License Id: 654
Server License for SharePoint Column Protector 2007. It is required to have license for each web fron end server in your SharePoint farm.
License for 1 Front End Web Servers
Number of available license keys 1
Number of used license keys 1
One license per one server – that is for every front end web server at which MOSS 2007 is installed or WSS 3.0 service is running (in the SharePoint farm on which SCP 2007 is to be installed). Server is a physical hardware system available to run server software.
Add new product key
Below you can upload your product key. To get a valid license key you must generate product key and upload it here (according to user the guide).
Description
Browse...
SEND

   b. When product key is in place you can download your license key. Save it in a convenient place so you can locate it easily – you will have to upload it on you SharePoint Central Administration.

Licenses
Server license
License Id: 654
Server License for SharePoint Column Protector 2007. It is required to have license for each web fron end server in your SharePoint farm.
License for 1 Front End Web Servers
Number of available license keys 1
Number of used license keys 1
One license per one server – that is for every front end web server at which MOSS 2007 is installed or WSS 3.0 service is running (in the SharePoint farm on which SCP 2007 is to be installed). Server is a physical hardware system available to run server software.
License keys
Description Issue Date
1 test scp 2007 virt 243 lic_serv 12/10/2010 get license key
Before downloading the license please make sure you have installed latest version of SharePoint Column Protector 2007. License will work only with latest version of SharePoint Column Protector 2007.

6. Activate product with license key
   a. Return to *License Management* page and click “Set License Key” button. Browse for the license key file and click “Upload license” link.



   b. If provided license key is valid for this product license status will change to “Valid License Key”.

   c. If provided license key is invalid – for example product key used to generate license key was generated from another server farm or trial has expired, license status will change to “Not valid License Key” and product status will change to “not valid”.

   Note: SCP is not protecting columns if product status is “Not valid”.

1.3 *Feature activation*

SharePoint Column Protector 2007 feature is active after the setup, and you can use it right away.

Note: If you reinstall SCP using "Repair" option in the setup wizard, the all feature states will be maintained – activated features will be active, deactivated will be inactive.

If feature was deactivated or the setup was unable to activate the feature, you need to activate SCP 2007 feature before you can use it.
If you don't see link to SCP 2007 administration on SharePoint list settings menu, then probably you need to activate it for the site collection that hosts this list.

Note: To activate feature you need "Manage Web Site" permissions on site collection.

To activate the feature:

1. Go to site collection administration page. If you are on site collection top site, choose "Site settings" from "Site actions" menu on the top right side.


Welcome JCHWB\administrator
This List
Site Actions
Create
Add a new library, list, or web page to this website.
Edit Page
Add, remove, or update Web Parts on this page.
Site Settings
Manage site settings on this site.

2. If you are on one of site collection subsites then go to site setting as described above, and then click "Go to top level site settings" link in the rightmost column with "Site Collection Administration" header

3. On the site collection “Site Settings” page click “Site collection features” link in the rightmost column with “Site Collection Administration” header.

4. See if status of SharePoint Column Protector is “Active”.



5. If feature is not active, click “Activate” button to activate the SCP 2007 feature.



1.4 *Repairing/removing SCP 2007*

If by any reason - deleted files, version upgrade or malfunction - you want to repair SharePoint Column Protector 2007 installation, run Setup application as described in "SCP 2007 Installation" chapter above.

1. After all configuration checks are passed (screen in point 5 in installation chapter) you will come to "Repair or Remove" screen


Datapolis SharePoint Column Protector 2007
SharePoint column protector 2007
datapolis
datapolis
Repair or Remove
Please select the operation you wish to perform
Datapolis SharePoint Column Protector 2007 is already installed. What would you like to do?
Repair
Retracts the solution from all web applications and deploys it once again.
Remove
Retracts the solution from all web applications and deletes it from the SharePoint solution store.
Please click the Next button to start the selected operation.
Datapolis.com, 2008-2010
Previous
Next
Abort

2. To repair SCP 2007 installation chose "Repair" and click "Next". SCP will be uninstalled and reinstalled. No configuration data will be lost.
   Note: SCP 2007 feature will be deactivated. You will have to activate it manually for each site collection (see "Feature activation" chapter for details).

3. To remove SCP 2007 from your farm choose "Remove" and click "Next". SCP will be removed from your SharePoint farm. You can install it again later.
   Note: SCP configuration files for each list will not be removed. To remove the files, you have to delete the XML file from every list catalog manually.

2 Configuring

SharePoint Column Protector is configured for each list or document library separately.

SCP provides two types of permissions: “Allow display” and “Allow edit and display”.

- “Allow display” permission allows specified users to view data in a defined list column. Columns (including attachments) where user has only “Allow display” permission are read only on **Edit Item** form and are invisible on **Add new Item** form.
- “Allow edit and display” permission allows specified users to view data in a defined list column on **Display Item** form and list views, as well as to add and change data on **Add New Item** and **Edit Item** forms.
- If user has neither of these two permissions, then he/she is not allowed to view the column on both item forms and list views.
- If user has both “Allow display” and “Allow edit and display” permissions to the same column, then the user effectively has “Allow edit and display” permission to this column.

Permissions are effective for:

- SharePoint item forms (“New”, ”Edit”, ”Display”),
- SharePoint list views,
- SharePoint alerts (newly created as well as those existing before the product installation),
- SharePoint list item attachments,
- Data exported from SharePoint to Microsoft Office Excel and Microsoft Office Access,
- Microsoft Office Access with SharePoint communication and synchronization,
- SharePoint lists Web Services.

This means that SharePoint Column Protector 2007 fully secures and gives you a greater degree of control over your list-stored data.

More information about configuring SharePoint Column Protector you can find on the product Web site: http://www.datapolis.com/en/Products/SharePointColumnProtector.aspx

2.1 *Limitations*

1. **SCP works only with Web Parts with full toolbar.**
   SharePoint Column Protector protects only these list view Web Parts which have Toolbar Type set to "Full Toolbar". Due to SharePoint API's limitation, current version of SCP 2007 does not support list view Web Parts that have summary toolbar or no toolbar. **Remember to enable full toolbar on list view Web Parts for the list you want to protect.**
2. **SCP does not work with Data View Web Parts.**
3. **SCP does not protect metadata in documents opened with external applications (e.g. Microsoft Office Word).**
4. **SCP does not work with Wiki libraries.**
5. **SCP does not support RSS feeds.**
6. **SCP does not work for search results.**
   Search uses standard SharePoint security mechanisms and SCP settings do not affect search results.
7. **SCP supports only standard SharePoint elements.**
   Third-party and custom-built forms, Web Parts, controls and other elements most likely won't be affected by SCP permissions (e.g InfoPath forms, all elements modified from SharePoint Designer).
8. **To configure SCP user must have "Manage List" permission for the list.**
   User must be granted "Manage List" permissions for the list to be able to use SCP Administration pages.
   Note: If the list is inheriting permissions from its parent site, user needs "Enumerate Permissions" for the site.
9. **SharePoint Column Protector shows all columns to users with *Manage List* permissions.**
   SharePoint Column Protector shows all columns to users with *Manage List* permissions for given list. In other words, SCP 2007 is transparent to these users and column permission settings do not apply to them. This is the default setting which can be changed in the SharePoint Column Protector settings page.
10. **SharePoint Column Protector does not synchronize its permission settings with list permissions.**
    If you change list permissions, it will not influence SharePoint Column Protector permissions. Using SCP it is possible to assign column permissions to a user for a list to which the user has no access. However, SCP permissions will not grant the user access to the list.
11. **Calendar Views and Gantt View limitations.**
    For users who don't have permission to view any of the list columns, Calendar and Gantt views are disabled. Such users will only see the following information:



12. **"Title" column limitations:**
    - **SCP does not hide the "Title" column in Datasheet view;**
    - **SCP does not hide link to item with its "Title" in SharePoint alerts.**

    In general: hiding item's "Title" (or document's "Name") field is a bad practice, for in most cases it works as item's identifier for users.

13. **SCP does not work with list and web templates.**
    Creating list or web from template on which SCP was running will cause that, all settings made through SCP will be reset.

14. **Microsoft Office Access limitations:**
    - **Microsoft Access does not support read-only setting for attachments.**
      If by using SCP you set attachments on a list to be read only (by granting only the “Allow display” permission), in Microsoft Access he/she still will be able to add and remove attachments. Such modifications to attachments will be, however, cancelled on a different level, even though Access still shows differently.
    - If a user has his/hers permission to edit a column revoked while he/she is working in Access, the user is question will still be able to make changes in the column, but those changes will be cancelled on a different level.

2.2 *Enabling SCP 2007 for Content Type*

1. On a page containing a list with a full toolbar click “Settings” in the list toolbar and then choose “SharePoint Column Protector”



Note: If you don’t see SCP settings in the list’s Settings menu, please check if the feature is activated. If the feature is activate but you still can’t see the link, please refer to **Troubleshooting** section of this guide

2. On main SharePoint Column Protector page you can choose which Content Types use SCP to manage column permissions.


Team Site > Asia > Tasks > Sharepoint Column Protector 2007
SharePoint Column Protector 2007: Tasks
Use this page to disable or enable Column Protector for content types.
Manage Column Permissions
Turn SCP feature on or off for all content types
To enable/disable Column Protector for all content types, click accordingly "Enable all" or "Disable all" links above content type list next to All content types.
Manage SCP permissions for each content type.
Please choose which content types should use Column Protector
If you want to restrict access to any column of a content type items please enable Column Protector for this content type by clicking "Enable" next to chosen content type (section: Change status).
To disable Column Protector for content type click "Disable" link next to the content type (section: Change status).
To manage column permissions for chosen content type, click "Edit" icon next to this content type (section: Edit permissions)
Notice: Column Protector must be enabled for given content type to manage permissions.
More information about SCP configuration you can find in user guide: SCP 2007 - User Guide.pdf
Content Types: Change status:
All Enable all
Disable all
Content Types: Status: Change status: Edit permissions:
Task Off Enable
Folder On Disable
Workflow Task On Disable
Administration mode
You can define the level on which SCP settings are ignored. All users that have permissions equal or grather then selected will be able to see/edit all column on this list.
When the " Manage Lists permission level" value is selected then SCP settings are ignored for every user who contains Manage Lists privileges for the given list.
When the "Site Collection Administrators" option is chosen then SCP settings are omitted for the site collection administrators.
If the "None" is selected, SCP settings are applied for every user.
Manage Lists permission level
Site Collection Administrators
None
Apply
Clear or Reset permissions
"Reset all column permissions" option will override all current column permissions in all content types with default list permissions (ex. Team site Visitors, Team Site Owners)
"Clear all column permissions" option will delete all current column permissions in all content types (users except those that are ignored won't be able to edit or see columns). Use this option if you have problems with opening permissions management page.
Reset all column permissions
Clear all column permissions
Save or Load SCP configuration
Click Save current SCP configuration link if you want to save whole current SCP configuration for this list on a disk.
Click Load SCP configuration link if you want to restore for this list previously saved SCP configuration.
Save current SCP configuration
Load SCP settings
Back to the list

3. If SCP is disabled for a given Content Type, its status is set to “Off”.



4. To enable SCP for a Content Type, click the “Enable” link next to its status.



5. To enable SCP for all Content Types, click the “Enable all” link above the Content Type list (next to the “All” content types).



6. To manage column permissions for a chosen Content Type, click “Edit” icon next to the Content Type.
Notice: SharePoint Column Protector must be enabled for a given Content Type in order to manage its permissions.



7. You can disable SCP for a Content Type by clicking the “Disable” link next to the Content Type. To disable SCP for all Content Types on the list, click the “Disable all” link. Disabling SCP **will not reset permissions settings** – if you enable SCP again, all set permissions will be preserved.



8. You can define at which level of user permissions SCP column permissions should be ignored. If you want SCP settings to be effective for all users (including administrators), choose “None”. If you want the Site Collection Administrators to see the whole list and omit any SCP security settings, choose “Site Collection Administrators”. Setting “Manage Lists permission level” will allow users with Manage Lists permission level to see the list’s whole content, ignoring SCP security settings. To accept changes, please click “Apply” button.

Administration mode
You can define the level on which SCP settings are ignored. All users that have permissions equal or grather then selected will be able to see/edit all column on this list.
When the " Manage Lists permission level" value is selected then SCP settings are ignored for every user who contains Manage Lists privileges for the given list.
When the "Site Collection Administrators" option is chosen then SCP settings are omitted for the site collection administrators.
If the "None" is selected, SCP settings are applied for every user.
Manage Lists permission level
Site Collection Administrators
None
Apply

Note: To manage SharePoint Column Protector settings, user must have Manage Lists permission level (or higher) for the list. Administration Mode setting has no impact on this logic.

Note: Administration Mode is set per list. Changes made on one list will not affect Administration Mode setting on another list.

9. If you want to reset SCP settings for a list, click “Reset all column permissions” link in the “Clear or Reset permissions” section. This operation will cause that:
    a. Each column of each Content Type used by the list will inherit its permissions from the list, meaning that only users and groups added to the list’s permissions will be able to view and edit the list’s columns.
    b. SCP for all Content Types on the list will be disabled.


Clear or Reset permissions
"Reset all column permissions" option will override all current column permissions in all content types with default list permissions (ex. Team site Visitors, Team Site Owners)
"Clear all column permissions" option will delete all current column permissions in all content types (users except those that are ignored won't be able to edit or see columns). Use this option if you have problems with opening permissions management page.
Reset all column permissions
Clear all column permissions

10. If you want to remove SCP settings from a list,, click the “Clear all column permissions” link in the “Clear or Reset permissions” section. This operation will:
    a. Delete SCP settings for each column of each Content Type on the list, meaning that no user (except those permitted by the Administration Mode setting) will be able to view (nor edit) the list’s columns.
    b. Disable SCP for all Content Types on the list.


Clear or Reset permissions
"Reset all column permissions" option will override all current column permissions in all content types with default list permissions (ex. Team site Visitors, Team Site Owners)
"Clear all column permissions" option will delete all current column permissions in all content types (users except those that are ignored won't be able to edit or see columns). Use this option if you have problems with opening permissions management page.
Reset all column permissions
Clear all column permissions

Note: You can use this option if you receive an error (e.g. timeout) while opening the “Settings for content type” page for the first time and you are working with AD users/groups.

2.3 *Saving/Restoring SCP configuration*

To save the SCP configuration (including columns' permissions settings for all Content Types, Administration Mode setting and whether SCP is enabled or disabled) for current list, click the "Save current SCP configuration" link in the "Save or Load SCP configuration" section. It will save SCP configuration on your disk as a XML document. This way you will be able to quickly restore all saved setting at any moment.

Save or Load SCP configuration
Click Save current SCP configuration link if you want to save whole current SCP configuration for this list on a disk.
Click Load SCP configuration link if you want to restore for this list previously saved SCP configuration.
Save current SCP configuration
Load SCP settings

If you want to restore SCP configuration for current list, click "Load SCP settings", select a SCP configuration file and click "OK". Settings will be restored only for Content Types that existed on the list when the configuration was saved.

Save or Load SCP configuration
Click Save current SCP configuration link if you want to save whole current SCP configuration for this list on a disk.
Click Load SCP configuration link if you want to restore for this list previously saved SCP configuration.
Save current SCP configuration
Load SCP settings

Note:

- Remember that SCP configuration is not transferable between two lists.
- If you encounter any problems when saving SCP configuration (i.e. nothing happens when you click in 'Save' link), please refer to the **Troubleshot** section of this guide

2.4 *Configuring permissions for columns*

2.4.1 Administration page

"Settings for content type" page consists of following items:

- "Column name" column (green section) – contains names of columns for chosen content type
- "Allow edit and display" permissions column (blue section) – here you input users that should have access to edit and display chosen column
- "Allow display" permissions column (red section) – here you input users that should have access to display chosen column
- "Set permissions for all columns" header (yellow section) – here you can input users that will be copied to all columns of the content type.


SCP - Settings for: Document - Shared Documents
Use this page to set permissions for each column of this content type.
Set permissions for all columns
Users/groups choosen in this section will be copied to all columns below after click in 'Copy' button.
Allow edit and display
Allow display
Copy
Copy
Column Name
Allow edit and display
Allow display
Name
Test Owners; Test Visitors; Test Members
Title
Test Owners; Test Visitors; Test Members
Content Type
Test Owners; Test Visitors; Test Members
Modification information
Test Owners; Test Visitors; Test Members
OK
Cancel

To manage permissions for column, please input user/group into the textbox next to column name. If you want to allow user/group to edit and view the column, input them into the textbox in first column. If you want to allow user/group to view the column, input them into the textbox in second column. If you want to restrict access to the column simply make sure that the user/group is not in any of two textboxes.

2.4.2 Using administration page

Inputting users to textboxes is simple and identical as in standard SharePoint permission management. You can either type user name or login into the textbox or choose a user from the directory.

1. To type user name and login:
    a. Type full user name or login or type part of the name or login. Separate each user by semicolon ";"
    b. Click name check button below the textbox.

    c. If name is correct and recognized by SharePoint it will change to an underlined text.



    d. If user is not recognized by SharePoint it will be underlined with red line and text will change to italic.



    e. Click on the not recognized user. A popup menu will appear with suggested best matches. You can choose from one of the matches, remove the entry or look it up in the directory.



2. To choose a user from directory:
    a. Click the address book icon below the textbox



b. A popup window will appear. Type part of the name or login of the user you want to add and click “Search” icon.


Select People and Groups — okno dialogowe strony sieci Web
Search for people and groups from the directory service. Type a name to find, select the name or names in the list, and then click Add.
Find tea
Display Name
Title
Department
E-Mail
Account Name
Type into the search box above then press "Enter" to start your search.
Add ->
OK
Cancel

c. In the results window choose the user you want to add by double clicking it or by clicking and pressing “Add” button. You can select multiple users and repeat search and selection multiple times. When you are finished click “OK” button.



3. You can assign permissions to all authenticated users. It is a very comfortable way to manage permissions if you want to allow everyone to view or view and edit a column, without worrying about synchronizing permissions with SharePoint list or site. To assign permissions to all authenticated users click “Add all authenticated users” icon.



4. You can copy list users to the “Set permissions for all columns” header by clicking “Copy users from list” button. Users and groups that have permissions to this list will be copied to the text box. You can then copy permissions to all columns or manually copy users to chosen columns.



5. If you want to setup the same permissions to all columns please use the “Set permissions for all columns” header. Simply input users into the textbox in the header and click “Copy permissions to all columns” link. Permissions from the textbox will replace entries in textboxes for all columns.



Note: All entries in the column textboxes will be deleted and replaced with values from the header textbox.
Note: Entries in header textboxes do not override entries in the column textboxes. Header textboxes are used only to copy permissions into the textboxes in columns and do not affect directly permission settings.

6. When you are finished please click “OK” button
Note: When you click “OK” button user name check for all textboxes will be performed. Your changes will not be saved until all textboxes contain correct user names.

2.4.3 List permission inheritance

When SCP is enabled for content type for the first time or when SCP is enabled after SCP reset for this list, users and user groups from SharePoint list are copied to “Allow edit and display” permission for each column. This way, by default all users with permission to the list have normal access to all columns.



If new users are added to list or site, you can copy them to the columns by clicking “Copy users from list” button.

Note: Users will be copied to header column. You can then copy them to all columns using “Copy permissions to all columns” button (Point 4 in chapter List permission inheritance).

Note: If you want to make sure that all users that have permission to the list can access given column, give permission to all authenticated users (Point 3 in chapter List permission inheritance).

2.5 *Best practices*

Below you will find few sample scenarios that will help you configure the SharePoint Column Protector the optimal way:

1. You want all users to be able to display all columns except one or two columns, which should be read only. These columns can be edited only by few users or groups.
    a. Input authenticated users in the “Allow edit and display” textbox in the “Set permissions for all columns” header and click “Copy permissions to all columns” icon.
    b. In the columns that should be read only, cut the users and paste them in to the right column “Allow display”.
    c. Input in the “Allow edit and display” textboxes users and groups that should be able to edit the restricted columns.
2. You want to restrict access to one or few columns to chosen users.
    a. Input authenticated users in the “Allow edit and display” textbox in the “Set permissions for all columns” header and click “Copy permissions to all columns” icon.
    b. It the columns that should be restricted remove entries and input chosen users to “Allow edit and display” or “Allow display” permissions
3. You want to have strict control on who is viewing which column – refrain from using “Authenticated users” group.
4. You want to restrict access to all columns for a group of users – remove permissions for these users from SharePoint list or site.

3 Troubleshooting

- Please make sure you are using the latest version of SharePoint (particularly if you have Service Pack 2 for SharePoint 2007 installed)
- If you receive errors during the SCP installation or if you cannot see SharePoint Column Protector in the list’s Settings menu even though the SCP feature is activated, please make sure that:
    - User that runs SCP installer is both Farm and Domain Administrator
    - Application pool account and Farm service account both have sufficient permissions to SharePoint farm and to database procedures respectively.
- Detailed information about errors connected with SCP can be found in SharePoint logs under “Feature infrastructure” area.

For more troubleshooting, help and tips please contact our support team by mailing us support@datapolis.com.

4 Try Workbox

If static column permissions for list columns are not enough for you please try **Workbox** – it is a graphical Workflow designer which integrates with SharePoint and one of its features is managing column permissions depending on workflow state. Please visit our web site to learn more about workbox. You can also visit our demonstration web site to see workbox guided tour.

Workbox is an advanced platform designed for creating and managing business processes
It is a practical tool for defining simple documents flow such as flow of invoices, absences, sick leaves, business trips as well as modeling complex business processes based on company's IT systems. Thanks to implementation of state workflow model processes may be modeled in extremely easy and legible way.

Designed for managers and analysts responsible for processes management within the company
Workbox has been created as a simple tool easy to understand by the non-technical staff.

No need of programming
The implementation of processes does not require coding. The whole process may be created in the dedicated graphical designer and automatically deployed on the SharePoint environment.

Graphical Designer
Workbox has a web based graphical designer. Created processes are presented in a legible and vivid way. The Designer is very easy to understand and to use. See more at our demo site.

Integration with SharePoint
Great advantage of Workbox is its deep integration with the SharePoint platform. Workbox was created as a SharePoint add in. It does not have its own database and workflow engine. Workbox uses SharePoint lists and libraries as a data repository and Windows Workflow Foundation as a workflow engine. Workbox works on MOSS 2007 as well as on WSS 3.0 environment.

Flexibility
Workbox has the ability to extend its functionality. As it has an open architecture, other companies may program additional functionalities (for example data connectors for ERP or CRM systems) and implement them in the Workbox environment, enabling users to use it from workflow designer level.